

9000196

THE UNITED SHATES OF ANTERIOA

TO AND TO WHOM THESE PRESENTS SHALL COME:

Bairyland Seed Co., Inc.

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of eighten years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ety therefrom, to the extent provided by the Plant Variety Protection Act t. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'DSR-373'

In Essimony Withercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 29th day of July in the year of our Lord one thousand nine hundred and ninety-four.

du

Kenneth HEvans

Commissioner

Plant Variety Protection Office Agricultural Marketing Service

Socretary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB 4981-0055, Washington, 20250.

Of Management and Budget, Paperwork Reduction Project (OMB #0581-0	1055), Washington, 20250.	FORN	APPROVED: ON	AB 0581-0055, Expires 1/31/91
U.S. DEPARTMENT OF AGRICULTURAL MARK	ETING SERVICE		1	Application is required in order to determine if a plant variety protection
APPLICATION FOR PLANT VARIE (Instructions or		N CERTIFICATE		certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGN EXPERIMENTAL NO.	ATION OR 3	B. VARIETY NAME
Dairyland Seed Company, Inc.		DST3305		DSR-373
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include area	code)	FOR OFFICIAL USE ONLY
P.O. Box 958, 3570 Hwy. H	• •	44.4000		PVPO NUMBER
West Bend, WI 53095		414/338-0	163	0000107
			-	9000196
	i .			May 31, 1990
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botan	ical)		Time
Glycine max L.	Leguminosa	ae		G A.M. P.M.
8. CROP KIND NAME (Common Name)	<u> </u>	DATE OF DETERMINATION		F Filing and Examination Fee:
Soybean		February	1988	E 182/30.
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	ANIZATION (Corporation, par	• -		R May 31,1990
Corporation	, , , ,, ,, ,,			E Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12.0	ATE OF INCORPORATION		: 250.00
Wisconsin	·	December 196	2	E July 19, 1994
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	i			D 900477,1771
Thomas G. Strachota Dairyland Seed Company P.O. Box 958 West Bend, WI 5 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Formal Section 2) a. X Exhibit A, Origin and Breeding History of the Variety. b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. X Exhibit D, Additional Description of Variety. e. X Exhibit E, Statement of the Basis of Applicant's Owners 1. X Seed Sample (2,500 viable untreated seeds). Date Seed 9. X Filing and Examination Fee (\$2,150) made payable to " 15. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE SIMPROTECTION Act.) YES (If "YES," answer items 16 and 17 be 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS? YES X NO 18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE V. X NO	hip. d Sample mailed to Plant 'Treasurer of the United S'OLD BY VARIETY NAME ONLielow) NO (# "A STO 17. IF "YES" T	variety Protection Office states." Y AS A CLASS OF CERTIFIE (IO," skip to item 18 below) O ITEM 16, WHICH CLASSES	<i>5-30-</i> D SEED? (See s	ON BEYOND BREEDER SEED?
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR I YES (If "YES," give names of countries and dates) NO	MARKETED IN THE U.S. OR	OTHER COUNTRIES?		
20. The applicant(s) declare(s) that a viable sample of basic so request in accordance with such regulations as may be app. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle Applicant(s) is (are) informed that false representation here.	licable. s sexually reproduced ed to protection under t	novel plant variety, a he provisions of section	nd believe(s) 42 of the Pla	that the variety is distinct.
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR	TITLE		DATE
at ulf				
Mongal Dellation	EXEC.	VICE PR.	ËS	3-30-90
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR	TITLE		DATE

EXHIBIT A: ORIGIN AND BREEDING HISTORY DSR-373

DSR-373 is a soybean cultivar derived from a cross of A3127 * Fayette by the pedigree method of breeding. The original cross was made at Clinton, Wisconsin.

Generation	Step	Year
\mathbf{F}_{O}	Handcross	1981
$\mathbf{F_1}$	F ₁ Increase	1981W
$\overline{\mathbf{F_2}}$	Selection	1982
\mathbf{F}_{3}	Advance	1983
$\mathbf{F_4}$	Advance	1984
F ₅	Yield Test	1985
-	Reselection	
$\mathbf{F_6}$	Single Plant Increase	1986
$\mathbf{F_7}$	Yield Test	1987
$\mathbf{F_8}$	Yield Test	1988
-	Increase	
F ₉	Yield Test	1989
	Increase	

Observations indicate that DSR-373 is uniform and stable within commercially acceptable limits. As is true with other soybean varieties, a small percentage of offtypes or variants can occur within commercially acceptable limits for almost any characteristic during the course of repeated multiplication.

EXHIBIT B: NOVELTY STATEMENT DSR-373

DSR-373 is most similar to A3127. Differences include, but are not necessarily restricted to the following:

DSR-373 compared to A3127

- DSR-373 is 3 days later
 DSR-373 is 21 cm taller
- DSR-373 is spherical flattened in shape, whereas A3127 is spherical in shape
- DSR-373 has a white flower, whereas A3127 has a purple flower

EXHIBIT B: NOVELTY STATEMENT (ADDENDUM) DSR-373

'DSR-373' TRAITS ARE ON THE TOP ROW. DIFFERENCES OF EACH COMPARISON CULTIVAR ARE LISTED BY THAT CULTIVAR IN TRAIT COLUMNS.

	Seed	Seed Coat	Leaf	Plant	Pubescence	PI	R F	ЗХ	1 -	Soyt	ean	Cyst
Cultivar	Shape	Luster	Color	Туре	Color	P	1	4	7	SCN	R3	R4(14)
DSR-373	SPHF	DL	DKGN	IN	Brown	1	1	1	1	2	2	2
FAYETTE	SPHR	SH	: .		11	j.	1			Đ,	. 0	
PRN 82			MEGN			2	2		2.			
3481	SPHR	SH	MEGN				•			1		
3580	SPHR	SH	MEGN			·				1		
∠ CARTTER		ŞH				1/2	. ,			27.	73.	2
DSR-317					Lt. Tawny					1	1	1
CX 345	SPHR					2	2		2			
FFR 332			MEGN			3	3	3	3			······································
AVERY		SH	MEGN									
A3415		SH	LTGN	SL								
A4009			MEGN	BU								
LINFORD	ELON	SH							•			

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

		ALADAET VALANCE
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Dairyland Seed Company, Inc.	DST3305	DSR-373
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo	de)	FOR OFFICIAL USE ONLY
P.O. Box 958, 3570 Hwy. H		PVPO NUMBER
West Bend, WI 53095		9000196
Choose the appropriate response which characterizes the va in your answer is fewer than the number of boxes provided	riety in the features described l , place a zero in the first box w	hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:) 1	
[2] L W	1 1	
1 = Spherical (L/W, L/T, and T/W ratios = $\langle 1.2 \rangle$ 3 = Elongate (L/T ratio \rangle 1.2; T/W = $\langle 1.2 \rangle$	2 = Spherical Flattened 4 = Elongate Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Neb	soy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	,	
1 5 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		à.
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
· -		
0 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		•
0 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green w 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71' 4 = Dark Purple extending to unifoliate leaves ('Hodgson')	ith bronze band below cotyledons ') '; 'Coker Hampton 266A')	('Woodworth'; 'Tracy')
10. LEAFLET SHAPE:	!	
3 1 = Lanceolate 2 = Oval 3 = Ovat	e 4 = Other (<i>Specify</i>)	
3 - Oval 3 - Oval	-r Other Jopenny/	2

Page 2 of 4

II. LEAF	LET SIZE:		and the second of the second
3	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')		
12. LEAF	COLOR:	·	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
3	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxto 3 = Dark Green ('Gnome'; 'Tracy')	n')	
13. FLOW	/ER COLOR:	· · · · · · · · · · · · · · · · · · ·	e in
1	1 = White 2 = Purple 3 = White with purple throat		
14. POD 0	COLOR:		
1	1 = Tan 2 = Brown 3 = Black	I	
15. PLAN	T PUBESCENCE COLOR:		
2	1 = Gray 2 = Brown (Tawny) 3=Lt. Tawny		
16. PLAN	T TYPES:		
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')		
17. PLAN	F HABIT:		<u> </u>
	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')		
[3]	3 = Indeterminate ('Nebsoy'; 'Improved Pelican')		The second second
	3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	7 = IV	8 = V
18. MATU	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6 19. DISEA	RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6 19. DISEA BACT 0 2	RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6 19. DISEA BACT 0 2	RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6 19. DISEA BACT 0 2 FUNGA	RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6 19. DISEA BACT 0 2	RITY GROUP: 1 = 000	7 = IV	8 = V
18. MATU 0 6 19. DISEA BACT 0 2 FUNGA	RITY GROUP: 1 = 000		
18. MATU 0 6 19. DISEA BACT 0 2 0 FUNGA	RITY GROUP: 1 = 000	7 = IV Other (S	
18. MATU 0 6 19. DISEA BACT 0 2 FUNGA	RITY GROUP: 1 = 000		
18. MATU 0 6 19. DISEA BACT 0 FUNGA 1	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') RITY GROUP: 1 = 000		
18. MATU 0 6 19. DISEA BACT 0 FUNGA 1	RITY GROUP: 1 = 000		
18. MATU 0 6 19. DISEA BACT 0 FUNGA 1	3 = Indeterminate ('Nebsoy'; 'Improved Pelican') RITY GROUP: 1 = 000		

FORM LMGS-470-57 (2-82)

19. DISE	ASE REACTION	: (Enter 0 = Not T	ested; 1 = Susceptible; 2 =	Resistant) (Continue	d)			
FU	NGAL DISEASE	S: (Continued)						•
0	Pod and Stem	Blight (Diaporthe	phaseolorum var; sojae)					
2	Purple Seed S	tain <i>(Cercospora k</i>	ikuchii)					,
0	Rhizoctonia F	Root Rot (Rhizocte	onia solani)					
·	Phytophthora	Rot (Phytophthol	ra megasperma var. sojae)	· ·	, , , , , , , , , , , , , , , , , , , ,			
1	Race 1	0 Race 2	0 Race 3 1	Race 4 0	Race 5	Race 6	1 Race 7	
0	Race 8	O Race 9	O Other (Specify)					 .
VII	RAL DISEASES:							-
0	Bud Blight (T	obacco Ringspot V	'irus)					
0	Yellow Mosaid	c (Bean Yellow Mo	saic Virus)					
0	Cowpea Mosa	ic (Cowpea Chloro	tic Virus)					
0	Pod Mottle (B	ean Pod Mottle Vi	rus)					
0	Seed Mottle (\$	Soybean Mosaic Vi	rus)					
NE	MATODE DISEA	SES:		•	•			
	Soybean Cyst	Nematode (Hetero	dera glycines)	,	<i>†</i>			
0	Race 1	0 Race 2	2 Race 3 0	Race 4	Other (Specify)	Race_14		
0	Lance Nemato	ode (Hoplolaimus (Colombus)			•	•	
0	Southern Roo	t Knot Nematode	(Meloidogyne incognita)					
0	Northern Roo	t Knot Nematode	(Meloidogyne Hapla)					
0	Peanut Root k	Knot Nematode <i>(M</i>	eloidogyne arenaria)					
0	Reniform Nen	natode (Rotylench	ulus reniformis)					
0	OTHER DISE	ASE NOT ON FO	RM (Specify):				· · · · · · · · · · · · · · · · · · ·	•
		2001050 /=						
20. PHYS	1	•	0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)				
12	,	on Calcareous Soi						
							·-·-	
	1		ted; 1 = Susceptible; 2 = Re	esistant)				
0		Beetle (Epilachna				:		
[0		opper (<i>Empoasca 1</i>		·				
٥	Other (Specify	·)						
22. INDIC	ATE WHICH VA	RIETY MOST CL	OSELY RESEMBLES THA	T SUBMITTED.				<u>.</u>
	RACTER		E OF VARIETY	CHARACTE	R .	NAME O	F VARIETY	
Plant S		A31	127	Seed Coat Lust	er			
Leaf SI			<u> </u>	Seed Size			-	
Leaf C			•	Seed Shape Seedling Pigmer	ntation			

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CON	TENT	SEED SIZE G/100	NO. SEEDS/	
	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD	
DSR-373 Submitted	263	1.0	102		-				<u></u>	
A3127 Name of Similar Variety	260	1.1	81	. —		<u></u>	-: - :	<u></u>		

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.




EXHIBIT E: STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP DSR-373

DSR-373 was originated and developed by Dairyland Seed Company, Inc. By agreement between Dairyland Seed Company, Inc., and its employees, all rights of invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by any employees.